ELSEVIER

Journal of Statistical Planning and Inference 78 (1999) 401–402

journal of statistical planning and inference

# Author Index Volume 78 (1999)*

Balasubramanian, K., *see* A. Dey (1–2) 369–383
Bansal, N.K. and N. Misra, On ranking treatment effects in a general linear model (1–2) 1–11
Bartolucci, A.A., *see* A. Maul (1–2) 191–204
Basu, A.P., *see* S. Basu (1–2) 255–275
Basu, S., A.P. Basu and C. Mukhopadhyay, Bayesian analysis for masked system failure data using non-identical Weibull models (1–2) 255–275
Bayarri, M.J. and B. Font, A Bayesian comparison of cluster, strata, and random samples (1–2) 277–294
Bhansali, R.J., Autoregressive model selection for multistep prediction (1–2) 295–305
Byrom, W., *see* B. Jones (1–2) 307–316
Chen, P.-L. and P.K. Sen, A piecewise transition model for analyzing multistate life history data (1–2) 385–400
Chu, J.Y., *see* J.N. Srivastava (1–2) 149–189
Cline, G.A. and R.J. Kryscio, Contagion distributions for defining disease clustering in time (1–2) 325–347
Dey, A., K. Balasubramanian and S. Gupta, Incomplete block designs for slope ratio assays (1–2) 369–383
Elnaggar, M. and A. Mukherjea, Identification of the parameters of a trivariate normal vector by the distribution of the minimum (1–2) 23–37
Font, B., *see* M.J. Bayarri (1–2) 277–294
Garvan, C.W. and M. Ghosh, On the property of posteriors for dispersion models (1–2) 229–241
Ghosh, M., *see* C.W. Garvan (1–2) 229–241
Ghosh, S. and T. Liu, Optimal mixture designs for four components in two orthogonal blocks (1–2) 219–228
Gupta, S., *see* A. Dey (1–2) 369–383
Hsu, Y.S., M.H. Metry and Y.L. Tong, Hypotheses testing for means of dependent and heterogeneous normal random variables (1–2) 89–99
Jarvis, P., *see* B. Jones (1–2) 307–316
Jones, B., J. Wang, P. Jarvis and W. Byrom, Design of cross-over trials for pharmacokinetic studies (1–2) 307–316
Klein, J.P. and M.-J. Zhang, Determining when the survival rates of two treatments are the same based on a censored data regression model (1–2) 243–254
Koziol, J.A. and H.C. Tuckwell, A Bayesian method for combining statistical tests (1–2) 317–323
Kryscio, R.J., *see* G.A. Cline (1–2) 325–347
Lee, Y.J., Biostatistics and clinical trials: a view (1–2) 349–367
Lin, W.-C. and J. Stufken, On finding trend-free block designs (1–2) 57–70
Liu, T., *see* S. Ghosh (1–2) 219–228
Lynch, J.D., On the joint distribution of component failures for monotone load-sharing systems (1–2) 13–21
Maul, A., A.A. Bartolucci and K.P. Singh, A stochastic process applied to sequential parametric analysis of censored survival data (1–2) 191–204

*The issue number is given in front of page numbers

Elsevier Science B.V.

McLeish, D.L., Designing the future: A simple algorithm for sequential design of a generalized linear model (1–2) 205–218
Metry, M.H., *see* Y.S. Hsu (1–2) 89–99
Misra, N., *see* N.K. Bansal (1–2) 1–11
Mukherjea, A., *see* M. Elnaggar (1–2) 23–37
Mukhopadhyay, C., *see* S. Basu (1–2) 255–275
Rao, J.N.K., *see* D.M. Stukel (1–2) 131–147
Scarsini, M. and M. Shaked, Distributions with known initial hazard rate functions (1–2) 39–55
Sen, P.K., *see* P.-L. Chen (1–2) 385–400
Shaked, M., *see* M. Scarsini (1–2) 39–55
Singh, K.P., *see* A. Maul (1–2) 191–204
Srivastava, J.N. and J.Y. Chu, Multistage design procedures for identifying two-factor interactions, when higher effects are negligible (1–2) 149–189
Stufken, J., *see* W.-C. Lin (1–2) 57–70
Stukel, D.M. and J.N.K. Rao, On small-area estimation under two-fold nested error regression models (1–2) 131–147
Tan, W.-Y. and Z. Xiang, The state-space model of the HIV epidemic with variable infection in the homosexual populations (1–2) 71–87
Tong, Y.L., *see* Y.S. Hsu (1–2) 89–99
Tuckwell, H.C., *see* J.A. Koziol (1–2) 317–323
Voss, D.T., Analysis of orthogonal saturated designs (1–2) 111–130
Wang, J., *see* B. Jones (1–2) 307–316
Weiss, N.A., Strategies for using technologies in introductory statistics courses (1–2) 101–110
Xiang, Z., *see* W.-Y. Tan (1–2) 71–87
Zhang, M.-J., *see* J.P. Klein (1–2) 243–254